

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended): A trim accessory comprising:
 - a soffit receiver component having first and second side walls and a first connecting wall;
 - a siding accessory receiver component integral with said soffit receiver component and having first and second side walls and a connecting wall distinct from the side walls and connecting wall of the soffit receiver component,
 - one of said side walls of the soffit receiver component and-or said side walls of the siding accessory receiver component having an attachment portion that is shaped and positioned to be attached to a building, the attachment portion having attachment apertures, and
 - an additional channel portion of said trim accessory connected between said soffit receiver component and said siding accessory receiver component, separate and-the additional channel portion having first and second side walls connected to each other by a connecting wall, the side walls and connecting wall of the additional channel portion distinct from said attachment portion side walls and connecting wall of said soffit receiver component and distinct from said side walls and connecting wall of said siding accessory receiver component, so the soffit receiver component and said siding accessory receiver component are separated from each other by the additional channel portion, one of the side walls of the additional channel portion being connected to one of the side walls of the soffit receiver component, one of the side walls of the additional channel portion having a plurality of vent apertures disposed therethrough, said vent apertures being separate from the attachment apertures, said vent apertures located in a separate plane from a plane in which the attachment apertures are locatedso that they are substantially hidden from view, at least when the trim accessory is installed on a building and a soffit accessory and a siding accessory are received into the corresponding soffit receiver component and siding accessory receiver component.

2. (Original): The trim accessory of claim 1, wherein the trim accessory is comprised of polyvinylchloride.
3. (Previously Presented): The trim accessory of claim 1, further comprising a crown molding or cove molding located intermediate said soffit receiver component and said siding accessory receiver component, the crown molding or cove molding being formed from the same piece of material as said soffit receiver component and said siding accessory receiver component.
4. (Previously Presented): The trim accessory of claim 1, wherein said soffit receiver component includes an attachment portion, a bottom portion and a connecting portion, and wherein said siding accessory receiver component includes back edge portion, a front portion and a connecting portion.
5. (Currently Amended): The trim accessory of claim 4, wherein at least one of said bottom portion or connecting portion of said soffit receiver component or said front portion or connecting portion of said siding accessory receiver component includes said an additional plurality of vent apertures.
6. (Currently Amended): The trim accessory of claim 1, ~~further comprising a vent component connected to said soffit receiver component and located intermediate~~ further comprising a bend connecting said additional channel portion of said trim accessory to said soffit receiver component and said siding accessory receiver component, wherein said vent component includes said vent apertures.
7. (Withdrawn): The trim accessory of claim 6, wherein a first end of said vent component is directly connected to said soffit receiver component and wherein a second end of said vent component is directly connected to said siding accessory receiver component.

8. (Previously Presented): A trim accessory comprising:

a three-sided soffit receiver component having an attachment edge portion, a bottom portion and a connecting portion, said attachment edge portion, bottom portion and connecting portion defining a soffit receiving channel, and

a three-sided siding accessory receiver component integral with said soffit receiver component and having a back edge portion, a front portion and a connecting portion, said back edge portion, front portion and connecting portion defining a siding accessory receiving channel, and

a three-sided vent component connected between said soffit receiver component and said siding accessory receiver component, the three-sided vent component having three walls distinct from walls of said soffit receiver component and distinct from walls of said siding accessory receiver component, so the soffit receiver component and said siding accessory receiver component are separated from each other by the vent component, the three-sided vent component having a first plurality of vent apertures disposed therethrough, and

wherein the connecting portion and front portion of the siding accessory receiver component includes a second plurality of vent apertures.

9. (Canceled).

10. (Canceled).

11. (Withdrawn): The trim accessory of claim 10, wherein a first end of said vent component is directly connected to said soffit receiver component and wherein a second end of said vent component is directly connected to said siding accessory receiver component.

12. (Currently Amended): The trim accessory of claim 10, further comprising an aesthetic ornamental component located intermediate said soffit receiver component and siding accessory

receiver component, separating the vent component from the siding accessory receiver component.

13. (Currently Amended): A trim accessory comprising:

a soffit receiver component having an attachment edge portion, a bottom portion and a connecting portion, said attachment edge portion, bottom portion and connecting portion defining a soffit receiving channel,

a siding accessory receiver component integral with said soffit receiver component and having a back edge portion, a front portion and a connecting portion, said back edge portion, front portion and connecting portion defining a siding accessory receiving channel,

a multiple-sided vent component connected to the soffit receiver component and located intermediate said soffit receiver component and said siding accessory receiver component, wherein said vent component includes vent apertures, said vent component contacting the soffit receiver component at a single connecting edge; and

~~an aesthetic~~ a multiple-sided ornamental component distinct from the vent component and located intermediate said soffit receiver component and siding accessory receiver component, wherein said ~~aesthetic~~ornamental component has a only a first end directly connected to the vent component and a only a second end directly connected to the siding accessory receiver component, the second end opposite the first end.

14. (Canceled):

15. (Original): The trim accessory of claim 8, wherein the trim accessory is a one-piece plastic extruded article.

16. (Currently Amended): A trim accessory comprising:

a soffit receiver component having an attachment edge portion, a bottom portion and a connecting portion, said attachment edge portion, bottom portion and connecting portion defining a soffit receiving channel, and

a vent component including first and second parallel edges and a connecting edge that connects the first and second parallel edges, the first parallel edge connected to the bottom portion of the soffit receiver component, the vent component having a plurality of vent apertures on one of the first and second parallel edges;

a crown molding directly connected to the parallel edge of the vent component having the vent apertures, with the vent apertures facing a back surface of the crown molding;

a siding accessory receiver component directly connected to the crown molding integral with said soffit receiver component, and the siding accessory receiver component having a back edge portion, a front portion and a connecting portion, said back edge portion, front portion and connecting portion defining a siding accessory receiving channel,

wherein at least one of said bottom portion or connecting portion of said soffit receiver component or said front portion or connecting portion of said siding accessory receiver component includes vent apertures,

wherein the trim accessory is a one-piece plastic post-formed extruded article.

17. (Withdrawn): A trim system for an exterior surface of a building comprising:
a trim accessory having:

a soffit receiver component defining a soffit receiving channel,

a siding accessory receiver component defining a siding accessory receiving channel, said siding accessory receiver component integral with said soffit receiver component,

one of said soffit receiver component and said siding accessory receiver component having an attachment portion that is shaped and positioned to be attached to a building, , the attachment portion having attachment apertures and

an additional portion of said trim accessory, separate and distinct from said attachment portion, the additional portion having a plurality of vent apertures being separate from the attachment apertures, said vent apertures disposed through said trim accessory and located so that they are substantially hidden from view at least when the trim accessory is installed on a building;
a soffit panel received into the soffit receiving channel of the soffit receiver component;
and
a siding accessory received into the siding accessory receiving channel of the siding accessory receiver component.

18. (Withdrawn): The trim system of claim 17, wherein the trim accessory further comprises a vent component intermediate said soffit receiver component and said siding accessory receiver component, and wherein the vent apertures are located on said vent component.

19. (Withdrawn - Currently Amended): The trim system of claim 17, wherein the trim accessory further comprises an ~~aesthetic~~ornamental component positioned intermediate said soffit receiver component and said siding accessory receiver component.

20. (Withdrawn - Currently Amended): The trim system of claim 19, wherein the ~~aesthetic~~ornamental component is a crown molding or an arc-shaped cove molding.

21. (Withdrawn): The trim system of claim 17 further comprising a siding panel received into the siding accessory.

22. (Canceled).

23. (Canceled).

24. (Canceled)t.

25. (Canceled):

26. (Canceled): .

27. (Canceled).

28. (Canceled):

29. (Currently Amended): The trim accessory of claim 13, wherein the ~~aesthetic~~ornamental component is a crown molding or a cove molding.

30. (New): The trim accessory of claim 6, wherein an end of said additional channel portion of said trim accessory is directly connected to a first end of an ornamental component, and the siding accessory receiver component is directly connected to a second end of the ornamental component.

31. (New): The trim accessory of claim 13, wherein the soffit receiver component includes a first channel having three walls, the vent component includes a second channel having an additional three walls distinct from the three walls of the soffit receiver component, and one of the walls of the first channel meets one of the walls of the second channel at the single connecting edge.

32. (New): The trim accessory of claim 5, wherein the additional plurality of vent apertures are located two different planes separate from the respective planes in which the attachment apertures and vent apertures are located.

33. (New): A trim accessory, comprising:

a soffit receiving channel having three walls, and located at a first end of the trim accessory;

a siding accessory receiving channel having three walls distinct from the walls of the soffit receiving channel, the siding accessory receiving channel located at a second end of the trim accessory opposite the first end;

a crown molding or cove molding directly connected to said siding accessory receiver channel;

a vent channel having three walls distinct from the walls of the soffit receiving channel and distinct from the walls of the siding accessory receiving channel, the vent channel having a first plurality of vent apertures on one of the walls thereof, the vent channel connected between the soffit receiving channel and the crown molding or cove molding, the vent channel connected to one of the walls of the soffit receiving channel by a first bend and to the crown or cove molding by a second bend;

wherein the soffit receiving channel, the siding accessory receiving channel, the crown or cover molding, and the vent channel are formed from a single piece of material.

34. (New): The trim accessory of claim 33, wherein the plurality of vent apertures of the vent channel are located in one of the walls thereof that is directly connected to the crown or cove molding.

35. (New): The trim accessory of claim 33, wherein the siding accessory receiver channel includes a second plurality of vent apertures in one of the walls thereof that is directly connected to the crown or cove molding.